

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1007	"345/619".CCLS.	USPAT	OR	ON	2008/06/29 17:01
L2	165	((HUY) near2 (NGUYEN)).INV.	US-PGPUB; USPAT	OR	ON	2008/06/29 17:01
L3	77	((LAWRENCE) near2 (LAM)).INV.	US-PGPUB; USPAT	OR	ON	2008/06/29 17:03
L4	0	(device same slid\$3 same size same dimension same display\$3 same information) .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:04
L5	0	2 and (device same slid\$3 same size same dimension same display\$3 same information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:05
L6	0	3 and (device same slid\$3 same size same dimension same display\$3 same information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:05
L7	0	3 and device same slid\$3 same size same dimension same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:05
L8	0	2 and device same slid\$3 same size same dimension same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:05
L9	1	1 and device same slid\$3 same size same dimension same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:06
L10	0	2 and device same slid\$3 same size same dimension same sens\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:08

L11	0	3 and device same slid\$3 same size same dimension same sens\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:08
L12	2	("20030038786").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/29 17:09
L13	153	(handheld same slid\$3 same cover samedisplay \$3 same sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:11
L14	14	(handheld same slid\$3 same cover samedisplay \$3 same sens\$3) .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:11
L15	1	14 and @rlad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:12
L16	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L17	17	L16 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L18	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L19	2	L18 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L20	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L21	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L22	17	L21 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L23	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L24	2092	L23 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L25	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L26	17	L25 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L27	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L28	2	L27 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L29	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L30	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L31	17	L30 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L32	2092	L29 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L33	0	L32 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L34	167	L32 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L35	7	L34 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L36	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L37	19904	L36 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L38	0	L37 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L39	0	L37 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L40	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L41	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L42	17	L41 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L43	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L44	2	L43 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L45	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L46	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L47	17	L46 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L48	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L49	2092	L48 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L50	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L51	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L52	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L53	2	L51 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L54	17	L50 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L55	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L56	17	L55 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L57	2092	L52 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L58	0	L57 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L59	167	L57 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L60	7	L59 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L61	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L62	19904	L61 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L63	0	L62 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L64	0	L62 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L65	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L66	25	sliding adj3 cover adj3 keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L67	6	sliding adj3 cover adj3 microphone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L68	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L69	6	L66 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L70	2	L67 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L71	1	L68 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L72	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L73	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L74	17	L73 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L75	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L76	2	L75 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L77	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L78	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L79	17	L78 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L80	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L81	2092	L80 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L82	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L83	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L84	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L85	2	L83 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L86	17	L82 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L87	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L88	17	L87 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L89	2092	L84 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L90	0	L89 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L91	167	L89 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L92	7	L91 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L93	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L94	19904	L93 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L95	0	L94 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L96	0	L94 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L97	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L98	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L99	2	L98 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L100	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L101	2092	L100 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L102	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L103	2	L102 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L104	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L105	19904	L104 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L106	0	L105 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L107	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L108	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L109	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L110	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L111	2092	L110 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L112	0	L111 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L113	167	L111 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L114	0	L105 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L115	17	L109 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L116	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L117	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L118	17	L116 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L119	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L120	17	L108 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L121	17	L119 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L122	7	L113 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L123	25	sliding adj3 cover adj3 keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L124	6	L123 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L125	6	sliding adj3 cover adj3 microphone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L126	2	L125 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L127	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L128	1	L127 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L129	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L130	373	capacitive near2 displacement near2 sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L131	109	L130 and @prad <= "20010817"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L132	0	sliding near2 door near2 keyboard near2 speaker	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L133	6	slid\$3 near4 door near4 keyboard	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L134	4921	mobile near5 speaker	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L135	6	L134 and (slid\$3 near4 door)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L136	44	sliding near2 display near2 cover	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L137	17	L136 and detect\$4	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L138	20	adjustable near3 display near2 cover	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L139	2	L138 and detect\$4	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L140	4250	adjustable near2 area	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L141	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L142	17	L141 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L143	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L144	2092	L143 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L145	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L146	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L147	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L148	2	L146 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L149	17	L145 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L150	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L151	17	L150 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L152	2092	L147 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L153	0	L152 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L154	167	L152 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L155	7	L154 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L156	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L157	19904	L156 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L158	0	L157 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L159	0	L157 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L160	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L161	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L162	2	L161 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L163	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L164	2092	L163 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L165	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L166	2	L165 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L167	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L168	19904	L167 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L169	0	L168 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L170	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L171	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L172	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L173	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L174	2092	L173 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L175	0	L174 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L176	167	L174 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L177	0	L168 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L178	17	L172 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L179	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L180	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L181	17	L179 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L182	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L183	17	L171 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L184	17	L182 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L185	7	L176 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L186	25	sliding adj3 cover adj3 keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L187	6	L186 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L188	6	sliding adj3 cover adj3 microphone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L189	2	L188 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L190	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L191	1	L190 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L192	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L193	7720420	"20050054397" A1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L194	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L195	2092	L194 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L196	167	L195 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L197	7	L196 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L198	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L199	17	L198 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L200	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L201	2092	L200 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L202	167	L201 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L203	7	L202 and (proximity adj4 sens\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L204	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L205	17	L204 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L206	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L207	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L208	17	L207 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L209	17	L206 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L210	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L211	1	L210 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L212	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L213	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L214	19904	L213 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L215	0	L214 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L216	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L217	2	L216 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L218	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L219	2	L218 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L220	1	position adj3 sensor adj3 detect adj3 relative and overlaid and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L221	44321	position adj3 sensor and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L222	19904	L221 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L223	0	L222 and sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L224	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L225	2	L224 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L226	20	adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L227	2	L226 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L228	7720420	"20050054397" A1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L229	6	sliding adj3 cover adj3 microphone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L230	25	sliding adj3 cover adj3 keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L231	0	L195 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L232	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L233	44	sliding near2 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L234	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L235	0	L214 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L236	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L237	2092	L236 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L238	0	L222 and adjustable near3 display near2 cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L239	0	L201 and "non-contact sensing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L240	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L241	2092	L240 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L242	4250	adjustable near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L243	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L244	17	L232 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L245	17	L243 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L246	49	adjustable near2 area near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L247	4	sliding adj3 cover adj3 speaker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L248	2	L229 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L249	17	L246 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L250	6	L230 and @ad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

L251	17	L233 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L252	373	capacitive near2 displacement near2 sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L253	109	L252 and @prad <= "20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L254	6	slid\$3 near4 door near4 keyboard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L255	0	sliding near2 door near2 keyboard near2 speaker	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L256	4921	mobile near5 speaker	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13
L257	6	L256 and (slid\$3 near4 door)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/29 17:13

6/29/08 5:22:15 PM

C:\Documents and Settings\jagini\My Documents\EAST\Workspaces\10006538.wsp